



FULL MOON BOLLARD

FULL MOON BOLLARD



DESCRIPTION

Fitted with in-built PSU, FULL MOON BOLLARD is a refined and compact white light LED luminaire specific for the fancy enhancement of landscape details in green areas of large dimensions. It is also an optimal solution for both decorative and functional accent and floodlighting in private or public environments. Available in three different heights, it features a choice of mounting accessories for a comfortable ground installation either in grass or in concrete paving. Different models, alternatively featuring brass swivel, one-tone finish or lockable head options, are available for the utmost design flexibility.


MAIN FEATURES

- Max. delivered lm output: 2098 lm / 105 lm/W
- Size: (HxWxD) Ø 78 250/500/750x100x109 mm / Ø 3.07" 9.84/19.68/29.52x3.93x4.29"
- Control system: ON-OFF, TRIAC
- Small-sized bollard series specific for the enhancement of architectural or landscape details through refined accent and flood light effects


LED COLOUR CONFIGURATIONS





FULL MOON BOLLARD





FEATURES


- 

ON - OFF
- 

TRIAC
- 

CLASS
- 

IP67
- 

IK08
- 

1.4-1.8 KG



LED COLOUR CONFIGURATIONS

- 


WARM
WHITE 2700K
- 

WARM
WHITE 3000K
- 

NATURAL
WHITE 4000K

OPTIONS

- 

ANTI-SALINE
- 

ETL PENDING

FINISHES

- 

BLACK
RAL9005
- 

ANTHRACITE
RAL7016
- 

GREY
RAL9006
- 

WHITE
RAL9003
- 

OLIVE GREY
RAL7002
- 

RAL ON
REQUEST

MORE INFO



CODES

AL5302 FULL MOON BOLLARD

PERFORMANCE	WATT	MAX LM OUTPUT	LM/WATT
FULL MOON BOLLARD W	20	2098	105

BEAM ANGLE REFERENCE	W
NARROW	18°
MEDIUM	25°
WIDE	35°
EXTRA WIDE	50°



Photorealistic 3D rendering of a typical product installation